Chromatographia Vol. 23, 1987 Contents

Vol. 23, No. 1, 1987

Originals

The Allyl Bonded Stationary Phase.
II. Conversions to New Phases for Gas Chromatography 3
J. J. Pesek / P. Mahabadi / Shih-Jen Chan

High-Performance Liquid Chromatographic Separation of Polyolefin Antioxidants and Light-Stabilisers 7
D. Munteanu / A. Işfan / C. Işfan / I. Tincul

Optimization of the Separation of Polymethoxylated Flavones in Reversed Phase Liquid Chromatography 15
J. P. Bianchini / E. M. Gaydou / A. M. Siouffi / G. Mazerolles / D. Mathieu / R. Phan Tan Luu

The Dependence of Reduced Plate Height on Reduced Velocity in Carbon Dioxide Supercritical Fluid Chromatography with Packed Columns 21
P. A. Mourier / M. H. Caude / R. H. Rosset

Separation of Chlorophylls and Their Degradation Products in Marine Phytoplankton by Reversed-Phase Liquid Chromatography 26
M. Zapata / Ana M. Ayala / J. M. Franco / J. L. Garrido

Separation of Gonadal Steroid Epimers Using High Performance Liquid Chromatography 31
T. G. Watson / D. J. Windmill / A. R. Bourne

The Chromatographic Behaviour of Cycloolefins on Stationary Phases of Different Polarity. Prediction of their Retention Indices and Boiling Points. 33
J. Bermejo / C. G. Blanco / M. A. Díez / M. D. Guillén

Elution Behaviour of Styrene Oligomer Fractions in Supercritical Fluid Chromatography 38
Dietger Leyendecker / Dagmar Leyendecker / Franz P. Schmitz / Ernst Klesper

Identification of the Components of Aldoses in a Tautomeric Equilibrium Mixture as Their Trimethylsilyl Ethers by Capillary Gas Chromatography 43
M. Paez / I. Martínez-Castro / J. Sanz / A. Olano / A. Garcia-Raso / F. Saura-Calixto

A Simple HPLC Column-switching Technique for the Determination of Deoxynivalenol (Vomitoxin) in Maize and Corn Silage 47
Ch. Noonpugdee

Gas Chromatographic Retention Indices for C_6 Alkanols on OV-101 and Carbowax 20 M Capillary Columns 50
S. Boneva

Short Communication

Analysis of Anesthetic Gas Mixtures of Halothane, Nitrous Oxide and Oxygen by Gas Chromatography 53
H. M. Heise

Review Paper

Interfacting Between Supercritical Fluid Chromatography and Infrared Spectroscopy – A Review 55
K. Jinno

Vol. 23, No. 2, 1987

Originals

Derivatives for Separation of Amino Acid Enantiomers 86
S. Abdalla / E. Bayer / H. Frank

Thin-Layer Chromatography of Binary Mixtures of Metal Complexes Including Isomers 86
R. K. Upadhyay / Miss A. Rani

Determination of Haptoglobin in Human Serum by High-Performance Gel-Permeation Chromatography 89
H. Hosotsubo / K. Arai / J.-I. Iwamura

Ligand Exchange Separation of Amines on Cooper (II) Sorbed on Zinc Silicate 93
D. K. Singh / Anjana Darbari

A Gas-Solid Chromatographic Study of the Adsorption of Hydrocarbons and Alcohols on Graphite 97
F. J. López-Garzón / I. Fernandez-Morales / M. Domingo-García

High-Performance Liquid Chromatography of Biphenols and Bis (hydroxyphenyl) propanes (Dianes) with Voltammetric and UV Photometric Detection 102
E. Tesařová / V. Pacáková / K. Štulík

Separation of Aldicarb, Aldicarb Sulfoxide, and Aldicarb Sulfone on Unmodified Silica with Reverse-Phase Eluents 109
C. J. Miles / H. A. Moye

Sub-nanogram Detection of Dihydroartemisinin after Chemical Derivatization with Diacetyldihydrofluorescein followed by High-Performance Liquid Chromatography and UV Absorption 112
Xuan-de Luo / Mei Xie / An-qing Zou

Chromatographic Amino Acid Analysis of Protein Hydrolysed in Polyacrylamide after Removal of Ammonia 115
E. E. Farmer / T. F. Uchytil / J. P. Helgeson / R. D. Durbin

High-Performance Ligand Exchange Chromatography on Chiral Diamine-Bonded Silica Gel 118
C. Corradini / F. Federici / M. Sinibaldi / A. Messina

Modification of Silica Surfaces by Grafting of Alkyl Chains. I – Characterization of Silica Surfaces by Inverse Gas-Solid Chromatography at Zero Surface Coverage 121
A. Vidal / E. Papirer / Wang Meng Jiao / J. B. Donnet

Volatile Constituents of Custard Apple 129
J. P. Bartley

Review Papers

Chromatographic Determination of Lactulose 132
I. Martinez-Castro / M. M. Calvo / A. Olano

A Means of Analysing Glycols, Especially Ethylene Glycol and Diethylene Glycol, by a Method Used for the Determination of Carbohydrates in Alcoholic Beverages 137
R. Klaus / W. Fischer

Short Communication

TLC Resolution of Enantiomeric Mixtures of Amino Acids 141
R. Bhushan / I. Ali

Special Award Announcements

The 1986 Martin Awards 146

The 1986 Jubilee Medal 147

Vol. 23, No. 3, 1987

Originals

Comparison of Octadecyl-Bonded Silica and Styrene-Divinylbenzene Colypomer Sorbents for Trace Enrichment Purposes: Fundamental Aspects
II. Linear Chromatographic Behaviour of the Extracting Supports 163
S. Bitteur / R. Rosset

Immobilization of Silicone Stationary Phases on Supports Using Ozone 169
C. H. Chuang / H. Shanfield / A. Zlatkis

Influences of Temperature, Pressure and Eluent Composition on the Behaviour of Binary Eluents at Sub- and Supercritical Conditions. Pentane and Diethyleneglycol Dimethyl Ether 171
Dagmar Leyendecker / F. P. Schmitz / E. Klesper

Utilization of Flash Chromatography for the Fractionation of Coal Derived Liquids 179
S. R. Moinelo / R. Menéndez / J. Bermejo

Lipophilicity Determination of Some Fully Protected Peptides and Amino Acids 184
T. Cserháti / B. Bordás / G. Ösapay

Estimation of the Band Broadening Contribution of HPLC Equipment to Column Elution Profiles 189
H. A. Claessens / C. A. Cramers / M. A. J. Kuyken

New Stationary Phase Polarity Parameters Considering the Electric Intermolecular Interactions in Gas Chromatographic Column 195
A. Voelkel

Aufbau und Überprüfung eines neuen Photoionisationsdetektors für die Fluidchromatographie 199
W. Gmür / J. O. Bosset / E. Plattner

Short Communications

Separation of Carbazole Alkaloids by Two-Dimensional Thin-Layer Chromatography 205
B. K. Chowdhury / P. P. Rai / P. Bhattacharyya

Effect of Halides on the TLC Resolution of Amino Acids Below Their Isoelectric Points 207
R. Bhushan / Imran Ali

Review Papers

Non-Aqueous Reverse-Phase HPLC Analysis of Triglycerides 209
L. J. R. Barrón / G. Santa-María

Measurement of Thermodynamic Equilibria by Chromatography 215
I. Ignatiadis / M. F. Gonnord / C. Vidal-Madjar

Vol. 23, No. 4, 1987

Editorial 239

Originals

Lipids of Contemporary Stillingia Oil 240
Ya-Chi Chen / A. Zlatkis / B. S. Middleditch / J. Cowles / W. Scheld

The Use of Characteristic Volumes to Measure Cavity Terms in Reversed Phase Liquid Chromatography 243
M. H. Abraham / J. C. McGowan

A Reversed-Phase Liquid Chromatographic Column for the Analysis of Single-Stranded Oligo-DNAs 247
K. Makino / H. Ozaki / H. Imaishi / T. Takeuchi / T. Fukui / H. Hatano

Chromatographic Packings Made by Solide Phase Synthesis 254
R. Ohmacht / Z. Matus

Computerized Integration Routines for Chromatography 257
A. L. Colmsjö

Investigation of Interactions Between Chloroderivatives of Alkanes and Alkenes and Chemically Bonded Transition Metal Complexes by Gas Chromatography 261
W. Wasiak

Gas Chromatographic Analysis of C_2–C_{16} Dicarboxylic Acids Esterified in Aqueous Solutions as n-Propyl Esters 265
I. Molnár-Perl / M. Morvai

Rapid and Sensitive Gas Chromatographic Method for Detection of Barbital and Pentobarbital in Blood Using Flash-Heater Methylation and Nitrogen-Specific Detection 269
C. Kim / R. Berg / J. M. Khanna

Trace Analysis of Volatile Polar Organics by Direct Aqueous Injections Gas Chromatography 273
B. S. Middleditch / Nak-June Sung / A. Zlatkis / G. Settembre

Modification of Silica Surfaces by Grafting of Alkyl Chains. II – Characterization of Silica Surfaces by Inverse Gas-Solid Chromatography at Finite Concentration 279
E. Papirer / A. Vidal / Wang Meng Jiao / J. B. Donnet

Short Communications

A Polar Macroporous Sorbent for Gas Chromatography 286
M. Jelínková / J. Kahovec / J. Buben

Rapid Thin-Layer Chromatography of Homocysteine-Cysteine Mixtures as Their Thiolyte-Derivatives 289
W. Baeyens / G. Van der Weken / P. De Moerloose

Review Paper

A Critical Review of Some Liquid Chromatography Systems for the Separation of Sugars 292
M. Verzele / G. Simoens / F. Van Damme

Vol. 23, No. 5, 1987

Editorial 319

Originals

Optimization of Fat Soluble Vitamin Separation in Reversed-Phase Microcolumn Liquid Chromatography 320
W. T. Wahyuni / K. Jinno

Liquid Chromatographic Determination of Dimethadione and Trimethadione in Human Serum on Octadecyl Treated Microporous Glass Columns 325
M. Okamoto / K. Nobuhara / K. Fukushima / A. Nakano / M. Hayada / S. Yoshimura

A Study of the Liquid Chromatography of Some Fungicidally Active Arylsulphonohydrazides 328
R. J. Cremlyn / J. Dawson / M. B. Evans

A Comparative Study of Large Volume Injection Techniques for Microbore Columns in HPLC 331
H. A. Claessens / M. A. J. Kuyken

Electrostatic Interactions in Normal and Reversed-Phase High-Performance Thin-Layer Chromatography. Preliminary Experiments 337
H. Lamparczyk / R. J. Ochocka

Characterization of some Commercial Poly (Styrene-Divinylbenzene) Copolymers for Reserved-Phase HPLC 341
H. W. Stuurman / J. Köhler / S.-O. Jansson / A. Litzén

Reversed-Phase HPLC Separation of Δ^2 and Δ^3 Isomers of 7-ADCA and Cephalexin Monohydrate 350
N. Kovačić-Bošnjak / Z. Mandić / M. Kovačević

High-Performance Liquid Chromatography Using a Color-Forming Agent as a Component of the Mobile Phase. Separation and Determination of Nickel and Zinc with Xylenol Orange 355
J.-I. Toei

Review Paper

On the History of the Development of Sephadex® 361
Jan-Christer Janson

Short Communications

A New Adsorbent for Trace Organic Analysis in Environmental Samples 370
C.-C. D. Yao / A. Zlatkis

Retention Behaviour of Typical Antiepileptic Drugs and PTH Amino Acids in High-Performance Liquid Chromatography on Various Types of Glasses Modified with Octadecyl Groups 373
M. Okamoto / K. Jinno / K. Nobuhara / K. Fukushima

Rapid Extraction of Codeine and Morphine in Whole Blood for HPLC Analysis 377
I. R. Tebbett

Vol. 23, No. 6, 1987

Originals

HPLC in Photokinetics: Determination of Reaction Mechanism and Photochemical Quantum Yields of (E)-1-Phenylpropene 395
G. Gauglitz / W. Schmid

Characterization of the Surface Properties of Heavy Residues of Oil Distillation by Inverse Gas Chromatography 401
Eugène Papirer / Jerzy Kuczynski / Bernard Siffert

A Strategy of Two-Dimensional, High-Performance Thin-Layer Chromatography, Applied to Local Anesthetics 407
B. De Spiegeleer / W. Van den Bossche / P. De Moerloose / D. Massart

High-Performance Liquid Chromatographic Separation of BisGMA Oligomers and Isomers in Dental Restorative Materials 412
D. Munteanu / A. Isfan / D. Bratu

Determination of Particulate Fatty Acids as P-Bromophenacyl- or phenylphenacylesters using HPLC 419
C. Osterroht

GC Investigation of the Interaction of Olefins with Chemically Bonded Gamma-Mercaptopropylsilane – Copper(II) Complexes 423
W. Wasiak

Investigation of Specific Interaction between Olefins and Cyano-Silica Modified with Copper(II) Complexes 427
W. Wasiak

Characterization of Barium Sulphate as a TLC Material for the Separation of Plant Carboxylic Acids 432
H. S. Rathore / H. A. Khan

New Polymer Coated Anion exchange HPLC-Phases: Immobilization of Poly(2-Hydroxy, 3N-Ethylene-diamino)-Butadiene on Silica and Alumina 435
G. Heinemann / J. Köhler / G. Schomburg

Preparation of Silanized Silica with High Ligand Density. The Effect of Silane Structure 442
B. Buszewski / L. Nondek / A. Jurášek / D. Berek

Short Communication

Reversed-flow Gas Chromatographic Study of Interaction between the Components of a Salt-modified Adsorbent 447
A. Niotis / N. A. Katsanos / G. Karaiskakis / M. Kotinopoulos

Vol. 23, No. 7, 1987

Originals

Polymer-Coated Cation-Exchange Stationary Phases on the Basis of Silica 465
P. Kolla / J. Köhler / G. Schomburg

Application of the Electrostatic Interaction Concept for the Study of the Retention Behaviour of Peropyrene-Type Polycyclic Aromatic Hydrocarbons in Reversed-Phase Liquid Chromatography 473
H. Lamparczyk / T. Nagoshi / K. Jinno

Quantitative Determination of Iron and Copper in Cotton Material by TLC 477
M. Kaštelan-Macan / Lj. Bokić / Š. Cerjan-Stefanović

Prediction of the Net Retention Volumes in Gas Chromatography Using Porous Polymers Coated with Different Stationary Phases 481
D. Barceló / M. T. Galcerán / L. Eek

A new Type of Two-Dimensional Packed + Capillary Column GC System. I. Theory 487
Jianying Zhang / Bingcheng Lin / Peichang Lu

A New Type of Two-Dimensional Packed + Capillary Column GC System. II. System and Applications 492
Fen Ye / Bingcheng Lin / Peichang Lu

A New Type of Two-Dimensional Packed + Capillary Column GC System. III. Instrumentation 499
Daixin Tong / Fangbao Xu / Peichang Lu

Analysis of Fragrance Volatiles of Fresh Flowers by Pre-column Absorption and GC/MS 502
Chen Yao-zu / Li Zhao-lin / Li Hai-quan

A Solvent-Free Sampling Method for Airborne Toluene Diisocyanate 507
A. Robert / P. Simon

Microcolumn Liquid Chromatography/Fourier Transform Infrared Spectrometry Interface Using a Potassium Bromide Disk 512
C. Fujimoto / T. Morita / K. Jinno / S. Ochiai

Quantitative Aspects of Gradient HPLC of Copolymers from Styrene and Ethyl Methacrylate 517
G. Glöckner

Vol. 23, No. 8, 1987

Editorial 545

Originals

Analysis of the Metal-Catalyzed Decomposition of γ- and δ-Haloesters by GC/FT-IR 547
D. E. Henry / S. L. Pentoney, Jr. / R. W. Kondrat / P. R. Griffiths

Comparison of Some Properties of Immobilized Polyethylene Glycol Type Stationary Phases Modified with an Acid 553
M. Horká / K. Janák / V. Kahle / K. Tesařik

Determination of Oligosaccharides (DP 1 – DP 8) in Samples with High Content of Salt and Organic Matter by Reversed Phase HPLC 557
J. M. Franco / J. L. Garrido

Structure-Retention Correlations of Hydrocarbons in GLC and GSC. Alkenylbenzenes 561
W. Engewald / I. Topalova / N. Petsev / Chr. Dimitrov

Use of Backflushing and Peak-Cutting Technique in Gas Chromatographic Trace Analysis 566
Yafeng Guan / Lairong Zhang / Xueyan Tang / Peichang Lu

Reversed-Phase High-Performance Liquid Chromatographic Behavior of Peptide Isomers Including a D-Amino Acid 571
H. Nakazawa

Peralkylation of Pentaerythritol for Gas Chromatographic – Mass Spectrometric Analysis 574
I. Ciucanu / P. Gabris

Group-Type Separation and Determination of Phenolic Compounds in Coal-Derived Products by HPLC 579
L. Szepesy / L. Podmaniczky / I. Szebényi

High-Performance Liquid Chromatography Using a Color-Forming Agent as a Mobile Phase Component. Separation of Alkaline-Earth-Metal Cations with Arsenazo III and a Non-Porous Gel Column 583
Jun-ichi Toei

Papers dedicated to Prof. E. sz. Kováts on the occasion of his sixtieth birthday

Structure-Retention Correlations of Hydrocarbons in Gas-Liquid and Gas-Solid Chromatography. Cycloalkenes and Cycloalkadienes 590
W. Engewald / U. Billing / T. Welsch / G. Haufe

Calculation of the Thermodynamic Values of Alkylthiazoles from the Kovats Retention Indices on the Basis of the Non-Linear Additivity Principle 595
R. V. Golovnya / I. L. Zhuravleva / E. V. Yakush

Short Communications

An Improved Method for the Separation of CuZn-Superoxide Dismutase from Human Erythrocytes by Gel Electrophoresis 599
E. Lickl

Determination of Chenodeoxycholic Acid on 3-Cyanopropyltrichlorosilane-Treated High-Performance Thin-Layer Chromatographic Plates 601
M. Okamoto / H. Kakamu / T. Omori

Vol. 23, No. 9, 1987

Editorial 625

Originals

Identification of Solvents of Abuse Using Gas Chromatography / Fourier Transform Infrared Spectrometry After Headspace Sampling 626
M. Deveaux / J.-P. Huvenne

Computer-Assisted Retention Prediction of Polycyclic Aromatic Hydrocarbons in Supercritical Fluid Chromatography Using Carbon Dioxide as the Mobile Phase 631
K. Jinno / M. Kuwajima

Characterization by Inverse Gas Chromatography of the Surface Properties of Silicas Modified by Poly-(ethylene Glycols) and Their Models (Oligomers, Diols) 639
E. Papirer / H. Balard / Y. Rahmani / A. P. Legrand / L. Facchini / H. Hommel

Chromatography of Inorganic Ions on Polyethyleneimine Cellulose Layer in Hydrochlorid Acid – Ammonium Thiocyanate Media 648
T. Shimizu / Y. Suzuki / C. Inose

Liquid Chromatographic Analysis with Electrochemical Detection for Metoclopramide in Human Plasma 651
A. Boussairi / F. Guyon

Cation Thin-Layer Chromatography in Mixed Organic Solvents Containing s-Butylamine: Separation of Zn(II) from Cd(II) and Cu(II) 653
A. Mohammad / N. Fatima

Trace Analysis of Sugars by HPLC and Post-Column Derivatization 657
H. Engelhardt / P. Ohs

Negative Temperature Programming in SFC with Packed Capillary Columns 663
Y. Hirata / F. Nakata / S. Murata

Analysis of Propantheline Bromide and Related Quaternary Ammonium Drugs by Reversed-Phase, Ion-Pair Liquid Chromatography with two Counterions in the Eluent 667
J. A. De Schutter / P. De Moerloose

Retention Prediction of o-Phthalaldehyde Amino Acid Derivatives in Reserved-Phase Liquid Chromatography 675
K. Jinno / E. Tanigawa

HPLC Determination of Thiol Drugs in Pharmaceutical Formulations Using Ethacrynic Acid as a Precolumn Ultraviolet Derivatization Reagent 680
V. Cavrini / R. Gatti / A. M. Di Pietra / M. A. Raggi

Short Communication

HPLC on Pentafluoroanilinopropyl Silica Gel 684
G. Félix / A. Thienpont / C. Bertrand

1987 Tswett Chromatography Medals Awarded to Horning, Ishii and Sjövall 686

Vol. 23, No. 10, 1987

Originals

On-Column Catalysis of Hydratization Equilibria During Liquid Chromatographic Analysis of Acetaldehyde and Formaldehyde 709
P. O. Edlund

Reversed-Phase Ion-Pair Systems to Predict Partition Coefficients of β-Carbolines by HPLC and TLC 713
M. C. Pietrogrande / P. A. Borea / G. Lodi / C. Bighi

Effects of Reducing Agents on the Determination of Thiolic Compounds in the Presence of their Disulfides Using Bimane Pre-Column Derivatization 717
W. Baeyens / G. Van der Weken / P. De Moerloose

How to Count Adsorption Sites by Gas Chromatography? 722
J. Nawrocki

Preparation of Chiral Stationary Phase via Activated Carbamate Intermediate for Liquid Chromatographic Optical Resolution 727
K. Iwaki / S. Yoshida / N. Nimura / T. Kinoshita / K. Takeda / H. Ogura

Chitosan-Coated Silica Gel as a New Support in High-Performance Liquid Chromatography 731
V. Carunchio / A. M. Girelli / A. Messina / M. Sinibaldi

Reversed-Phase HPLC Behaviour of Metal Complexes with 4-(2-Pyridylazo) Resorcinol. A Detailed Study in the Light of Solvophobic Theory 736
C. Baiocchi / F. Cantone / A. Marchetto / M. C. Gennaro / E. Mentasti / C. Sarzamin

Separation of Transition Metal Ions and Preconcentration of Platinum (IV) and Chromium (III) on Alumina-Immobilized Diethylenetriaminepentaacetic Acid by Ligand Exchange 747
D. K. Singh / Pallavi Mehrotra

Qualitative Description of Dispersive and Inductive Electrostatic Interactions in Reserved-Phase Liquid Chromatography 752
H. Lamparczyk / M. Atomura / K. Jinno

Esterification of Aliphatic Hydroxy Acids to n-Propyl Esters in Aqueous Solutions for Their Gas Chromatographic Analysis 760
I. Molnár-Perl / M. Morvai

Gel Filtration and High-Performance Liquid Chromatographic Analysis of Phosphotungstic Acid Soluble Peptides from Blue Cheeses 764
D. Gonzales de Llano / M. Ramos / C. Polo

Determination of the Concentration of Silanol Groups by a Chemical Reaction with Methyllithium and GC Measurements of Evolved Methane 767
S. C. Antakli / J. Serpinet

Short Communication

Gas Chromatographic Separation of C_4–C_5 Epoxides on a Glass Capillary Column Coated with OV-101 Methylsilicone 770
S. Boneva / N. Dimov

Vol. 23, No. 11, 1987

Editorial

Seventieth Birthday of Arnaldo Liberti 789
F. Bruner

Originals

Capillary Columns in Series for the Gas Chromatographic Analysis of Essential Oils 790
G. P. Cartoni / G. Goretti / M. V. Russo

An Efficient Procedure for Extraction and Determination of Steroids in the tissue of Laboratory Animals 796
A. Laganà / G. d'Ascenzo / A. Marino

Preparation and Performances of Small Bore Columns Packed with Reversed-Phase Materials and their Use for the Evaluation of Air Pollutants 803
R. Draisci / A. Cecinato / E. Brancaleoni / P. Ciccioli

Capillary Isotachophoretic Study of Outer-sphere Complex Formation 811
S. Fanali / L. Ossicini / M. Sinibaldi

HPLC of Aminoacids on Silica Coated with Ammonium Tungstophosphate 814
L. Lepri / P. G. Desideri / L. Merlini / L. Checchini

Selective Sampling and Capillary Gas Chromatography in the Analysis of Essential Oils 818
C. Bicchi / A. D'Amato / C. Frattini

HPLC Determination of the Aromatic Fraction of Gasoline 825
L. Zoccolillo / G. P. Cartoni / A. P. Rizzo / M. Ronchetti

Determination of Low Boiling Aldehydes in Air and Exhaust Gases by Using Annular Denuders Combined with HPLC Techniques 829
M. Possanzini / P. Ciccioli / V. Di Palo / R. Draisci

Assay for Urinary Estriol During the Menstrual Cycle Based on Extraction by a Graphitized Carbon Black Cartridge Followed by High-Performance Liquid Chromatography 835
Guia Carfagnini / A. Di Corcia / M. Marchetti / R. Samperi

Effect of Solute Polarity on the Performance of Porapak Type Porous Polymers 839
G. Castello / Giuseppina D'Amato

Comparison of the Sequential Simplex Method and Linear Solvent Strength Theory in HPLC Gradient Elution Optimization of Multicomponent Flavonoid Mixtures 844
F. Dondi / Y. D. Kahie / G. Lodi / P. Reschiglian / C. Pietrogrande / C. Bighi / G. P. Cartoni

Selectivity Optimization for the Capillary Gas Chromatographic Analysis of Bacterial Cellular Fatty Acids 850
F. Vannieuwenhuyze / P. Sandra

Advances in the Determination of Volatile Organic Solvents and other Organic Pollutants by Gas Chromatography with Thermal Desorption Sampling and Injection 856
A. Fabbri / G. Crescentini / F. Mangani / A. R. Mastrogiacomo / F. Bruner

Vol. 23, No. 12, 1987

Editorial

Financial Aid to Participate in International Symposium 1988 877

Originals

Thin-Layer Cell with a Rapidly Dropping Mercury Electrode for Liquid Chromatographic Detection 878
T. Ramstad / M. J. Weaver

Electrosorptive Detection in Liquid Chromatography of Simple Charged Organic Compounds 883
T. Ramstad / M. J. Weaver

Calculation of Retention in Temperature-Programmed Gas Chromatography 888
Chen Bangjie / Guo Xijian / Peng Shaoyi

Influence of Column Temperature, Water Content, Polarity, and Acidity of Isohydric Solvents on the Separation of Butyrophenones on Silica Gel 893
E. Van den Eeckhout / P. Jenjintanant / G. Bens / P. De Moerloose

Activated Carbamate Reagent as Chiral Derivatizing Agent for Liquid Chromatographic Optical Resolution of Enantiomeric Amino Compounds 899
K. Iwaki / S. Yoshida / N. Nimura / T. Kinoshita / K. Takeda / H. Ogura

Backflush HPLC for the Isolation of Polynuclear Aromatic Compounds – A Comparative Study 903
C. E. Östman / A. L. Colmsjö

Large Scale Purification of Synthesized Oligodeoxyribonucleotides by Reversed-Phase Chromatography 909
K. Makino / T. Matsumoto / Y. Nakatsuji / S. Nagahara / T. Takeuchi

Solute Retention in the Stationary Phase of a Liquid-Solid Chromatographic System 915
S. M. Petrović / S. M. Lomić / I. Šefer

Gas Chromatographic Analysis of Aromatic Carboxylic Acids in the Presence of C_1–C_{22} Fatty Acids and C_2–C_{16} Dicarboxylic Acids Esterified in Aqueous Solutions as the n-Propyl Esters 925
M. Morvai / I. Molnár-Perl

Retention Behaviour in Liquid and Supercritical Fluid Chromatography Using Methanol or Diethyl Ether as Mobile Phase 929
T. Takeuchi / T. Niwa / D. Ishii

Limits of Determination and Calibration in HPLC 934
S. Ebel / H. Kühnert / W. Mück